

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"6601009".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/28 12:37
S1	5768	(@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and dynamic with (bandwidth or speed or rate) with measur\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 12:23
S2	300	(@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and dynamic with (bandwidth or speed or rate) with measur\$5 same stream\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 12:23
S3	129	(@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and dynamic with (bandwidth or speed or rate) with measur\$5 same stream\$5 and network\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 12:23
S4	90	(@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 same stream\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 12:48
S5	295	(@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 12:52

S6	241	(@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) and media	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 12:54
S7	169	(@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) and video	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 12:55
S8	72	(@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) and download	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 12:58
S10	126	(@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 13:01

S11	13	(real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and streaming media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 13:04
S12	507	(real time or real\$time or real-time) with (bandwidth or speed or rate) and streaming media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 13:06
S13	5979	(real time or real\$time or real-time) with (bandwidth or speed or rate) and (preload\$4 or pre-load\$4 or pre cach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre \$fetch\$4 or partial cache or cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 13:07
S14	215	(real time or real\$time or real-time) with (bandwidth or speed or rate) and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre \$fetch\$4 or partial cache or cache) and streaming media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 13:08
S15	141	(real time or real\$time or real-time) with (bandwidth or speed or rate) with (measur\$5 or calculat\$5) and distribut\$5 near4 media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 13:15

S16	548	(bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) with (download \$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 15:07
S17	232	(bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) with (download \$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 15:10
S18	2128	(preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) with (measur\$5 or determin\$5 or calculat\$5) with (size) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 10:40
S20	194	(preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) with (measur\$5 or determin\$5 or calculat\$5) with (size) and streaming and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 10:41

S21	39	(preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache) with (measur\$5 or determin\$5 or calculat\$5) with (size) and streaming and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 10:42
S22	477	(preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache) with (measur\$5 or determin\$5 or calculat\$5) with (size) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 10:52
S23	137	(prefix or partial cache) with (measur\$5 or determin\$5 or calculat\$5) with (size) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 10:56
S31	13	(real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and streaming media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 13:53
S32	507	(real time or real\$time or real-time) with (bandwidth or speed or rate) and streaming media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 13:53

S33	5979	(real time or real\$time or real-time) with (bandwidth or speed or rate) and (preload\$4 or preload\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre \$fetch\$4 or partial cache or cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 13:53
S34	215	(real time or real\$time or real-time) with (bandwidth or speed or rate) and (preload\$4 or preload\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre \$fetch\$4 or partial cache or cache) and streaming media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 13:53
S35	141	(real time or real\$time or real-time) with (bandwidth or speed or rate) with (measur\$5 or determin\$5 or calculat\$5) and distribut\$5 near4 media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 13:53
S36	548	(bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) with (download \$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 13:53
S37	232	(bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) with (download \$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 13:53

		partial cache or cache)				
S38	210	(S31 or S32 or S33 or S34 or S35 or S36 or S37) and microsoft.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 13:53
S39	90	(S31 or S32 or S34 or S35 or S36 or S37) and microsoft.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 13:56
S40	1116	(bandwidth or speed or rate) with (measur\$5 or determin\$5 or calculat\$5) with buffer with size and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 15:09
S41	138	(bandwidth or speed or rate) with (measur\$5 or determin\$5 or calculat\$5) with buffer with size and (streaming) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 15:09

EAST Search History (Interference)

< This search history is empty >

10/ 28/ 2009 12:37:56 PM**C:\ Documents and Settings\ kmai2\ My Documents\ EAST\ Workspaces\ 10708260b.wsp**